COMHELTACWINGPAC CORROSION CONTROL OJT SYLLABUS

Name:		Rate	:
1. Prerequisite to fin through satisfactory ta monitored and documente	sk performance.	Satisfactory to	ask performance shall be
	sks without supe		ual is considered fully center supervisors have
3. Qualification, once	achieved, is co	nsidered curren	t until:
a. qualificationb. individual tra		-	
4. Entries shall have vertical lines be used supervisor's initials a	between initials	and dates. The	
	rvisor. OJT ever is qualified. sfied the trainer his may be accomplated, once completed,	ents shall be donoted the work center the is fully qual applished after on the the work centralized locations form will be	cumented for all related supervisor may sign off ified to perform tasks nly one OJT event or it ter supervisor. This tion accessible to the be filed on the Right
6. The work center sup any member's previous O review with the member. previous OJT Skill Cert	JT. The work ce Signature of w	enter LPO may com work center LPO l	nduct a proficiency
Legible Signature of Wo Date:	rk Center LPO:		
OJT/Instructor/Supervis	or Sign off Key	(print name the	n sign your initials):
Name:	_ Initials:	Name:	Initials:
Name:	Initials:	Name:	Initials:
Name:	Initials:	Name:	Initials:

OJT TASK:	QUALIFIER	DATE	W/C SUP	DATE
GENERAL CORROSION CONTROL:				
Perform temporary corrosion				
arrestment				
CORROSION IDENTIFICATION:				
Identify Uniform Surface				
Corrosion				
Identify pitting corrosion on				
aluminum surfaces				
Identify galvanic corrosion on				
metal surfaces				
PRESERVATION/DEPRESERVATION:				
Perform operational preservation				
Perform non-operational				
preservation				
Perform different applications of				
CPC's				
Perform application of non-water				
displacing compound				
Discuss procedures for				
placing/removing an aircraft into Level III Preservation				
Perform Level I Preservation				
Perform depreservation				
PAINT (QUALIFIED PAINTERS ONLY):				
Perform application of epoxy				
polyamide primer				
Discuss proper application of				
epoxy polyamide topcoat				
Perform mixing of polyurethane				
paint				
Perform application of aliphatic				
polyurethane paint				
Perform disassembly, cleaning,				
and assembly of a paint gun				
CORROSION CONTROL TREATMENT:				
Perform different methods of				
mechanical paint removal				
Perform chemical paint removal				
Perform chemical conversion of				
aluminum				
Perform corrosion treatment of				1
magnesium				
Perform Pre-op of vacu-blast				
EMERGENCY RECLAMATION:				
Perform inventory of emergency				1
reclamation kit				
Simulate removal of priority				
components				
Describe cleaning methods used				
for emergency reclamation				
5 1		<u>I</u>	<u> </u>	1

OJT TASK:	QUALIFIER	DATE	W/C SUP	DATE
Simulate visual inspection of	~		•	
components after sprinkler				
activation				
Perform tagging of aircraft				
components during emergency				
reclamation drill				
INSPECTION AND EQUIPMENT:				
Utilizing depth gauge, determine				
extent of corrosion damage				
Utilize optical micrometer to evaluate extent of corrosion				
damage				
Perform corrosion inspection of				
water entrapment areas				
Utilize 10x magnifying glass for				
inspection				
PERFORM THE FOLLOWING TASKS:				
Display proper wearing of PPE				
Apply sealant				
Apply non-skid				
Perform acceptance inspection				
Perform transfer inspection				
Perform 28 day C/C inspection:				
Inspect aircraft for corrosion				
Perform 28 day C/C inspection:				
Inspect aircraft for bare metal				
Perform 28 day C/C inspection:				
Inspect hardware for preservation				
AVIONICS CORROSION CONTROL:				
Perform corrosion control				
inspection of avionics equipment				
Perform surface treatment of				
avionics equipment				
Perform cleaning and surface				
preparation of protective				
coatings on avionics equipment				
Perform application of				
preservation on avionics				
equipment				
Perform corrosion control on				
antenna components				
CORROSION DOCUMENTATION:				
Review MDR-11				
Initiate a preservation MCN/JCN				
Initiate a preservation MCN/JCN				
Review 3-M Corrosion Control Data				
GENERAL CORROSION CONTROL FOR MH-				
60S ONLY:				
Identify corrosion prone areas				
using A1-H60SA-SRM 300				
[401119 111 1100011 DIWI 300				